



THE H822 E-SERIES.

Purpose-built, the E-series H822 combines a compact upper assembly with tight tuck boom geometry to minimize residual stand damage in selective harvesting applications.

THE H822E

Compact and powerful. Well suited to selective and final fell harvesting.



THE LH822E

Well suited to clear fell and selective harvesting applications in steep terrain.



PURPOSE-BUILT

SERVICE MADE EASY

The clamshell style retracting roof enclosure provides excellent access to the engine house.

A swing-out door on the left side of the machine allows the operator to easily access daily service points.

A large spring assisted cover allows greater service access to the pump area.

DEBRIS MANAGEMENT

Steps are built in to the pump cover for easy access to the roof, making debris removal easier.

A boom slider reduces debris build-up in hard-to-reach areas.

TIGERCAT FPT ENGINE TECHNOLOGY
PERFORMANCE • SIMPLICITY • RELIABILITY

TIGERCATPOWER.
TIGERCATSUPPORT.™

TigerCat FPT engines offer quick load response and high power density, combined with excellent fuel economy.

TigerCat FPT engines offer improved reliability and lower long-term maintenance costs – the clear power choice for demanding forestry applications.



TIGERCAT'S EXCLUSIVE ER BOOM TECHNOLOGY

The ER® boom system is highly productive and efficient in high cycle, small stem harvesting applications.

ER requires less energy to extend and retract the boom. The result is fuel savings, and improved performance and multi-functioning capability.



REDESIGNED OPERATOR'S STATION



- Spacious, heated/cooled, fully adjustable air ride seat
- Optimally positioned controls
- Large, colour touchscreen display
- Improved HVAC temperature control
- Quiet interior environment with Bluetooth® audio and hands-free calling
- Clear sightlines along with skyVIEW® camera system
- Additional storage locations

ROCK-SOLID STABILITY

Long track frames, a wide stance carbody, super duty leveling components and unique geometry. It all leads to rock-solid stability, poise and comfort on steep slopes.



H822E HARVESTER



Scan the QR code then click 'SPECS' for a full list of machine specifications for the H822E Harvester.

LH822E HARVESTER



Scan the QR code then click 'SPECS' for a full list of machine specifications for the LH822E Harvester.

Download the Tigercat App to access the most current machine specifications for all Tigercat machine models.

EMAIL	comments@tigercat.com
PHONE	519.753.2000
WEBSITE	www.tigercat.com
ADDRESS	54 Morton Ave. East, Brantford, Ontario Canada, N3R 7J7
MAIL	Box 637 N3T 5P9

© 2001 - 2022 Tigercat International Inc. All Rights Reserved. TIGERCAT, WIDERANGE, TURNAROUND, ER, EHS, LOW-WIDE, TEC, REMOTELOG, LOGON, TCI and their respective logos, TOUGH RELIABLE PRODUCTIVE, TIGERCAT TV, "Tigercat Orange" and BETWEEN THE BRANCHES, as well as corporate and product identity, are trademarks of Tigercat International Inc., and may not be used without permission. TIGERCAT, TCI, TURNAROUND, WIDERANGE, EHS, LOW-WIDE, ER and REMOTELOG, and their respective logos are registered trademarks of Tigercat International Inc.